AL

		<u> </u>
	Application No.	Applicant(s)
	09/602,576	JACOBS ET AL.
Notice of Allowability	Examiner	Art Unit
	Gregory G. Todd	2157
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to <u>09 October 2007</u> .		
2. The allowed claim(s) is/are <u>1,4,7-12 and 32-36</u> .		
3. ☐ Acknowledgment is made of a claim for foreign priority una) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" on the delow. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submit INFORMAL PATENT APPLICATION (PTO-152) which give 5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must	been received. been received in Application No cuments have been received in this of this communication to file a reply IENT of this application. itted. Note the attached EXAMINER es reason(s) why the oath or declar	r complying with the requirements
 (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 		
DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT I	sit of BIOLOGICAL MATERIAL	must be submitted. Note the
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal I 6. ☑ Interview Summary Paper No./Mail Da 7. ☑ Examiner's Amend 8. ☑ Examiner's Statem 9. ☐ Other	y (PTO-413), ate

Application/Control Number:

09/602,576 Art Unit: 2157

EXAMINER'S AMENDMENT

Response to Amendment

- 1. This office action is in response to applicant's amendment filed, 09 October 2007, of application filed, with the above serial number, on 22 June 2000 in which claims 1 and 4 have been amended and claim 5 has been cancelled. Claims 1, 4, 7-12, and 32-36 are therefore pending in the application.
- 2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Rupak Nag on 21 December 2007.

The application has been amended as follows:

A system including a processor for executing instructions in memory for a software architecture enabling a user to create a Web site over the Internet, the software architecture comprising:

a plurality of applications including a first model object relating to a Web site building application, the first model object capable of managing tasks and of being a data manipulation logic component and of being an interface between other model objects and the Web site building application having an extensible framework and containing

Application/Control Number:

09/602,576

Art Unit: 2157

Web site fixed application data and Web site extensible application data, and a second model object that is capable of being added to the first model object without altering the extensible framework of the Web site building application; and

3. The following is an examiner's statement of reasons for allowance: The prior art of record fails to teach the combination of elements in the amended claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gregory G. Todd whose telephone number is (571)272-4011. The examiner can normally be reached on Monday - Friday 9:00am-6:00pm w/ first Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ario Etienne can be reached on (571)272-4001. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Gregory Todd

Patent Examiner

Technology Center 2100

The street of th